



靜音型導流散熱式魯氏鼓風機

Re-Circulated and Cooling Vertical-Type Roots Blower Performance Chart

50hz




晶昌環境機械有限公司榮譽出品

KING CHAIN ENVIRONMENTAL CONSERVATION MACHINERY CO.,LTD.



靜音型導流散熱式魯氏鼓風機外觀尺寸圖及性能表

Re-Circulated and Cooling Vertical-Type Roots Blower Performance Chart



性能表 Performance Chart 50hz

壓力 Pressure			1000mmAq		2000mmAq		3000mmAq		4000mmAq		5000mmAq		6000mmAq	
型號 Model	口徑 Bore	馬力 Motor	CMM	Kw	CMM	Kw	CMM	Kw	CMM	Kw	CMM	Kw	CMM	Kw
KTB3237	1¼B	0.5Hp	0.24	0.29	0.17									
KTB3275	1¼B	1Hp	0.24	0.29	0.17	0.31	0.12	0.35	0.08	0.40	0.05	0.42		
KTB4037	1½B	0.5Hp	0.63	0.33	0.58	0.40								
KTB4075	1½B	1Hp	0.63	0.33	0.58	0.40	0.44	0.49	0.30	0.59				
KTB4015	1½B	2Hp	0.63	0.33	0.58	0.40	0.44	0.49	0.30	0.59	0.22	0.72		
KTB40A15	1½B	2Hp	0.72	0.67	0.63	0.74	0.52	0.83	0.41	0.92	0.38	1.06		

外觀尺寸及重量 Dimensions and Weight

型號 Model	口徑 Bore	A	B	C	D	E	重量 Weight	噪音 Noise
KTB3237	1¼B	560	341	156	220	385	51kg	45db
KTB3275	1¼B	610	341	156	220	385	55kg	47db
KTB4037	1½B	600	341	176	220	385	59kg	46db
KTB4075	1½B	650	370	176	220	385	63kg	48db
KTB4015	1½B	740	370	176	220	385	71kg	49db

unit:mm



靜音型導流散熱式魯氏鼓風機

Re-Circulated and Cooling Vertical-Type Roots Blower Performance Chart




晶昌環境機械有限公司榮譽出品

KING CHAIN ENVIRONMENTAL CONSERVATION MACHINERY CO.,LTD.



靜音型導流散熱式魯氏鼓風機外觀尺寸圖及性能表

Re-Circulated and Cooling Vertical-Type Roots Blower Performance Chart



性能表 Performance Chart 60HZ

壓力 Pressure			1000mmAq		2000mmAq		3000mmAq		4000mmAq		5000mmAq		6000mmAq	
型號 Model	口徑 Bore	馬力 Motor	CMM	Kw	CMM	Kw	CMM	Kw	CMM	Kw	CMM	Kw	CMM	Kw
KTB3237	1¼B	0.5Hp	0.5	0.29	0.45	0.33								
KTB3275	1¼B	1Hp	0.5	0.29	0.45	0.33	0.41	0.39	0.38	0.45	0.34	0.51	0.3	0.58
KTB4037	1½B	0.5Hp	0.82	0.36										
KTB4075	1½B	1Hp	0.84	0.36	0.75	0.45	0.68	0.65	0.62	0.73				
KTB4015	1½B	2Hp	0.84	0.48	0.75	0.45	0.68	0.65	0.62	0.73	0.58	0.85	0.5	0.95

外觀尺寸及重量 Dimensions and Weight

型號 Model	口徑 Bore	A	B	C	D	E	重量 Weight	噪音 Noise
KTB3237	1¼B	560	341	156	220	385	51kg	45db
KTB3275	1¼B	610	341	156	220	385	55kg	47db
KTB4037	1½B	600	341	176	220	385	59kg	46db
KTB4075	1½B	650	370	176	220	385	63kg	48db
KTB4015	1½B	740	370	176	220	385	71kg	49db

unit:mm